L50

<u>L49</u>

Freeform Search

Da	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins	se						
Te	6353629.pn. and 152							
Dis	splay: 50 Documents in Display Forma	: -	 Starting wi	th Number 1				
Generate: C Hit List C Hit Count C Side by Side C Image Search Clear Interrupt								
Set Name side by side	Query			<u>Hit</u> <u>Count</u>	Set Name result set			
DB=F	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD;	PLUR=3	YES; OP=OR					
<u>L53</u>	6353629.pn. and 152			1	<u>L53</u>			
<u>L52</u>	L51 and l4			26	<u>L52</u>			
<u>L51</u>	((first adj 11) same (second adj 11)) and 149			39	<u>L51</u>			

(first adj 11) same (second adj 11) same 149

filter\$3 adj bank\$1

2 <u>L50</u>

<u>L49</u>

7608

<u>L38</u>	(first adj L1) same (second adj L1) same L2 same L4	0	<u>L38</u>
<u>L37</u>	L1 and (frequency same domain same L2 same ("high-performance" or (high adj performance)))	15	<u>L37</u>
<u>L36</u>	L1 same frequency same domain same L2 same ("high-performance" or (high adj performance))	6	<u>L36</u>
<u>L35</u>	L1 same frequency same domain same L2 same ("high-performance" or (high adj performance))	6	<u>L35</u>
<u>L34</u>	L33 and L2 and L4	18	<u>L34</u>
<u>L33</u>	((low adj resolution) or "low-resolution") adj3 L1	380	<u>L33</u>
<u>L32</u>	L27 same L28	11	<u>L32</u>
<u>L31</u>	L27 same L28	11	L31
<u>L30</u>	L27 same L4	0	<u>L30</u>
<u>L29</u>	L28 same L27 same L4	0	L29
<u>L28</u>	spectr\$	856923	L28
<u>L27</u>	L26 same L25	238	L27
<u>L26</u>	adc2	343	L26
<u>L25</u>	adc1	820	L25
<u>L24</u>	L23 and L22	31	L24
<u>L23</u>	341/\$.ccls.	40372	L23
<u>L22</u>	L21 and filter\$3	980	L22
<u>L21</u>	L3 and L4 and L1 and add\$ and calibrat\$ and L13	1047	<u>L21</u>
<u>L20</u>	L17 and L1	5	<u>L20</u>
<u>L19</u>	L17 and L1	5	L19
<u>L18</u>	L17 and L5 and L6	0	L18
<u>L17</u>	("high-performance" adj (apparatus or system\$1)) with (convert\$ or conversion)	13	<u>L17</u>
<u>L16</u>	("high-perfromance" adj (apparatus or system\$1)) with (convert\$ or conversion)	0	<u>L16</u>
<u>L15</u>	L13 and L12	13	<u>L15</u>
<u>L14</u>	L13 and L12	13	<u>L14</u>
<u>L13</u>	fft or (fourier adj transform)	74270	<u>L13</u>
<u>L12</u>	L11 and calibrat\$	17	<u>L12</u>
<u>L11</u>	L10 and L2	69	<u>L11</u>
<u>L10</u>	L9 and L4 and L3	72	<u>L10</u>
<u>L9</u>	L6 with L5	1720	<u>L9</u>
<u>L8</u>	L6 same L5	2468	<u>L8</u>
<u>L7</u>	L6 same L5 same L4 same L3 same L2	0	<u>L7</u>
<u>L6</u>	second adj L1	4972	<u>L6</u>
<u>L5</u>	first adj L1	4511	<u>L5</u>
<u>L4</u>	frequency adj domain	37359	<u>L4</u>
<u>L3</u>	time adj domain\$	41676	<u>L3</u>
<u>L2</u>	recombin\$ or accumulat\$3 or add\$ or sum\$ or combin\$	6875137	<u>L2</u>

L1 adc\$1 or (analog adj3 digital) or "a/d"

417804 <u>L1</u>

END OF SEARCH HISTORY